


100  
**DORIN**<sup>®</sup>

1918  2018

A LEGEND IN PROGRESS

## INTERNATIONAL CERTIFICATIONS



### **UL, CSA, CB CERTIFICATIONS**

COMPRESSORI SEMIHERMETICI  
SEMI-HERMETIC COMPRESSORS  
COMPRESSEURS SEMI-HERMETIQUES  
HALBHERMETISCHE VERDICHTER



## UL Certifications

| COMPRESSORS UL CERTIFIED |                                 |             |
|--------------------------|---------------------------------|-------------|
| MODEL                    | RATING                          | CONNECTIONS |
| H11                      | 208/230, 60, 3                  | Δ           |
|                          | 360/400, 60, 3                  | Y           |
|                          | 440/480, 60, 3                  | Y           |
|                          | 208/230/ 60, 1                  | 1 Ph        |
| H2                       | 208/230, 60, 3                  | Δ           |
|                          | 360/400, 60, 3                  | Y           |
|                          | 440/480, 60, 3                  | Y           |
| H33                      | 208/230, 60, 3                  | Δ           |
|                          | 360/400, 60, 3                  | Y           |
|                          | 440/480, 60, 3                  | Y           |
| H35                      | 208/230, 60, 3                  | Δ           |
|                          | 360/400, 60, 3                  | Y           |
|                          | 440/480, 60, 3                  | Y           |
| H41                      | 208/230, 60, 3                  | Δ           |
|                          | 440/480, 60, 3                  | PWS         |
| H5                       | 208/230, 60, 3 - 440/480, 60, 3 | Δ - PWS     |
| 2S-H5                    | 208/230, 60, 3 - 440/480, 60, 3 | Δ - PWS     |
| H6                       | 440/480, 60, 3                  | PWS         |
| 2S-H6                    | 440/480, 60, 3                  | PWS         |
| CD400                    | 380/420, 50, 3 - 440/480, 60, 3 | PWS         |
| CDS 11                   | 440/480, 60, 3                  | Y           |
| CDS 35                   | 440/480, 60, 3                  | Y           |
| CDS35                    | 360/400, 60, 3                  | Y           |



## CSA Certifications

| COMPRESSORS CSA CERTIFIED |            |             |
|---------------------------|------------|-------------|
| MODEL                     | RATING     | CONNECTIONS |
| CD400                     | 575, 60, 3 | Y           |



# CB Certifications

| COMPRESSORS CB CERTIFIED |                                 |             |
|--------------------------|---------------------------------|-------------|
| MODEL                    | RATING                          | CONNECTIONS |
| H11                      | 220/240, 50, 3 - 265/290, 60, 3 | Δ           |
|                          | 380/420, 50, 3 - 440/480, 60, 3 | Y           |
|                          | 200, 50-60, 3                   | Δ           |
|                          | 208/230, 60, 3                  | Δ           |
|                          | 360/400, 60, 3                  | Y           |
| H2                       | 220/240, 50, 3 - 265/290, 60, 3 | Δ           |
|                          | 380/420, 50, 3 - 440/480, 60, 3 | Y           |
|                          | 200, 50-60, 3                   | Δ           |
|                          | 208/230, 60, 3                  | Δ           |
|                          | 360/400, 60, 3                  | Y           |
| H33                      | 220/240, 50, 3 - 265/290, 60, 3 | Δ           |
|                          | 380/420, 50, 3 - 440/480, 60, 3 | Y           |
|                          | 200, 50-60, 3                   | Δ           |
|                          | 208/230, 60, 3                  | Δ           |
|                          | 360/400, 60, 3                  | Y           |
| H35                      | 220/240, 50, 3 - 265/290, 60, 3 | Δ           |
|                          | 380/420, 50, 3 - 440/480, 60, 3 | Y           |
|                          | 200, 50-60, 3                   | Δ           |
|                          | 208/230, 60, 3                  | Δ           |
|                          | 360/400, 60, 3                  | Y           |

| CERTIFICATIONS IN PROGRESS (UL, CSA) |                |             |
|--------------------------------------|----------------|-------------|
| MODEL                                | RATING         | CONNECTIONS |
| CDS 11                               | 208/230, 60, 3 | Δ           |
|                                      | 360/400, 60, 3 | Y           |
|                                      | 575, 60, 3     | Y           |
| CDS 35                               | 208/230, 60, 3 | Δ           |
|                                      | 360/400, 60, 3 | Y           |
|                                      | 575, 60, 3     | Y           |
| CDS 41                               | 208/230, 60, 3 | Δ           |
|                                      | 360/400, 60, 3 | Y           |
|                                      | 440/480, 60, 3 | Y           |
|                                      | 575, 60, 3     | Y           |



OFFICINE MARIO DORIN SINCE 1920

**DORIN**<sup>®</sup>  
INNOVATION

**OFFICINE MARIO DORIN S.p.A.**

Via Aretina 388, 50061 Compiobbi - Florence, Italy  
Tel. +39 055 62321 1 - Fax +39 055 62321 380

**[dorin@dorin.com](mailto:dorin@dorin.com)**  
**[www.dorin.com](http://www.dorin.com)**